

‡ SNAS slovenská národná akreditačná služba

Karloveská 63, P. O. Box 74, 840 00 Bratislava 4

CERTIFICATE OF ACCREDITATION

No. S-188

dated 16.05.2024

The Slovak National Accreditation Service issues a Certificate of Accreditation to an accredited body pursuant to Section 26 par.6 of Act No. 53/2023 Coll. on Accreditation of Conformity Assessment Bodies (hereinafter referred to as the "Accreditation Act").

EKO-TERM SERVIS s.r.o.

Napájadlá 11/2743, 040 12 Košice IČO: 31 695 671

Organizational unit performing the activity of the Accredited Body: Testing laboratory

> Workplace of the Accredited Body: Napájadlá 11/2743, 040 12 Košice

Identification number of the Accredited Body: 226/S-188

Area of accreditation: Testing laboratory

The testing laboratory demonstrated its competence to perform the accredited activity fulfilling the accreditation requirements of ISO/IEC 17025: 2017 when performing discontinuous measurement of selected ingredients of exhaust gases emitted into atmosphere from stationary air emissions sources, performance characteristics, determine ratio of vapor and gasoline system of second grade of recuperation at gasoline service stations, sampling of exhaust gases, solid crisp and liquid materials and to express opinions and interpretation of the results within the accreditation scope delineated in the Annex of this Certificate of Accreditation. The Annex shall form an integral part of the Certificate of Accreditation.

Number and date of issue of the accreditation decision: No. 226/11470/2024/1 dated 10.05.2024

Validity of the accreditation decision:

The accreditation decision No. 226/11470/2024/1 dated 10.05.2024 is valid from 16.05.2024 to 12.10.2028.

The validity of this Accreditation Certificate expires upon the expiry of the accreditation decision, the decision on withdrawal of the accreditation pursuant to Section 31 or the expiry of the accreditation pursuant to Section 32 of the Accreditation Act.

SNAS is signatory to the EA MLA and ILAC MRA.

Scope of Accreditation

Accredited body:

EKO-TERM SERVIS s.r.o.

Napájadlá 11, 040 12 Košice

Organizational unit performing the activity of the accredited body:

Testing laboratory

Place of performance of the accredited body:

Napájadlá 11, 040 12 Košice

Identification number of the accredited body: 226/S-188

Laboratory with fixed scope

	Test subject		Implemented 1	method	
item	Subject / Matrix / Environment	Property / Parameter / Variable / Analyt	Principle / Class/ Type	Marking	Other specifications (range, uncertainty, notes)
1		particulate matter (PM)	isokinetic gravimetric method	STN EN 13284-1 (SMEP-08-IPP)	Notes: 1), 3), 4), 5), 11) Notes:
2		fraction of particulate matter PM _{2.5} and PM ₁₀	gravimetric method	STN ISO 9096 STN EN ISO 23210 (SMEP-08-IPP)	Notes 1), 4), 16)
3		darkness of smoke Bacharach degree	photometry	STN ISO 11042-1 čl. 7.8 (SMEP -16-IPP)	Notes, 1), 3), 15)
4		sulphur dioxide (SO ₂)	NDIR	STN ISO 7935 STN P CEN/TS 17021 (SMEP-01-IPP)	Notes: 1, 3, 6, 7, 9)
	,	Nitrogen oxides – nitric	chemiluminescence	STN EN 14792 (SMEP-01-IPP)	Notes: 1), 3), 6), 9)
5		oxide and nitrogen dioxide, expressed as nitrogen dioxide (NOx)	NDIR	STN ISO 10849 (SMEP-01-IPP) EPA CTM 030	Notes: 1, 3, 6, 7, 9, Notes:
		dioxide (110x)	electro-chemically	(SMEP-02-IPP)	1), 3), 8), 9)
6		Nitrous oxide (N ₂ O)	NDIR	STN EN ISO 21258 (SMEP-01-IPP)	Notes: 1), 9)
7		Carbon monoxide (CO)	NDIR	STN EN 15058 (SMEP-01-IPP) EPA CTM 030	Notes: 1, 3, 6, 9 Notes:
	Waste gas ²)		electro-chemically	(SMEP-02-IPP)	1), 3), 8), 9)
			NDIR	STN ISO 12039 STN P CEN/TS 17405 (SMEP-01-IPP)	Notes: 1), 9), 10)
8		carbon dioxide (CO ₂)	calculation of the volume fraction of CO_2 from the volume fraction of O_2 and CO	EPA CTM 030 (SMEP-02-IPP)	Notes: 1),9),10) - gaseous fuels - liquid fuels
			volume concentration of CO ₂ based on elemental analysis of fuel burned	SMEP -10-IM	Notes: (1),10)
9	.).	Oxygen (O ₂)	paramagnetically	STN EN 14789 (SMEP-01-IPP)	Notes: (1), (3), (6), (9), (10)
			electro-chemically	EPA CTM 030 (SMEP-02-IPP)	Notes: 1), 3), 8), 9) 10)
10		gaseous organic substances, expressed as total carbon (TOC)	FID	STN EN 12619 (SMEP-06-IPP)	Notes: 1), 3), 6), 9), 12)
è			measuring of temperature and dynamic pressure with a velocity probe/calculation	STN ISO 10780 (SMEP-04-IPP)	Notes: 1), 3), 19)
11		gas flow rate /Δp	measuring of temperature dynamic pressure with a velocity probe/ calculation	STN EN ISO 16911-1 (SMEP-04-IPP)	Notes: 1), 3), 13) 2
			Measuring with anemometers	STN EN ISO 16911-1 (SMEP-04-IPP-1)	Notes: 1), 3), 13) Notes: 1), 3) 1), 3)

The Annex is an integral part of the

	Te	est subject	Implemented r	method		
item	Subject / Matrix / Environment	Property / Parameter / Variable / Analyt	Principle / Class/ Type	Marking	Other specifications (range, uncertainty, notes)	
12		volumetric flow	measuring pipe cross-section and calculation of the waste gas flow rate calculation based on the fuel composition	STN EN ISO 16911-1 STN ISO 10780 ¹⁹), (SMEP-04-IPP) STN EN ISO 16911-1	Notes: 1), 3) Notes: 1), 3)	
	Waste gas ²)	humidity of the gas in the pipeline	gravimetry (adsorption/ condensation adsorption)	(SMEP-04-IPP) STN EN 14790 (SMEP-04-IPP)	Other specifications 1), 3)	
13		relative humidity of the gas in the pipeline	by electrical capacity and calculation	SMEP-05-IM (RdSchr.d.BMU IG I 2- 45053/5)	Notes: 1), 3), 10), 14)	
14	Waste gases –	concentration of petrol vapors in waste gas from the regenerative unit in the terminal	FID	STN EN 12619 (SMEP-06-IPP)	Notes: 1), 3), 9)	
15	gasoline vapors	ratio of vapors and stage II petrol vapor recovery at petrol stations	measurement with the real flow of petrol (wet method A and B)	STN EN 16321-2 (SMEP-19-IPP)	Notes: 1), 9), 20)	
16	Stationary sources of pollution ²⁾	Measurement of the concentration and volumetric flow of waste gas, calculation based on mass flow conditions and the amount of the relational (SMEP-13-		STN EN ISO 11771 (SMEP-13-IPP)	Notes: 1), 16)	
17		individual mass flow	calculation based on the concentration and volumetric flow	STN EN ISO 11771 (SMEP-13-IPP)	Notes: 1), 16),	
18	Selected stationary sources of air pollution ²⁾ under Annex no. 7 of the Decree of MoE SR no. 248/2023 Coll.	limiting emission factor for sulfur oxides: sulfur dioxide, sulfur trioxide and aerosol H ₂ SO ₄ expressed as sulfur dioxide (SOx) limiting emission factor for nitrogen oxides: nitric oxide and nitrogen dioxide, expressed as nitrogen dioxide (NOx) limiting emission factor for carbon monoxide (CO) limiting emission factor for organic substances in the form of gases and vapours, expressed as total organic carbon (TOC) limiting emission factor for mercury and its compounds, expressed as Hg limiting emission factor for fluorine and its gaseous compounds expressed as HF	measurement of the concentration and volumetric flow of waste gas according to standard methodologies calculation of the emission factor based on mass flow and the amount of the relational value	SMEP-13-IM (STN EN ISO 11771)	Notes: 1), 17) Notes: 1), 17)	
		limiting emission factor for gaseous ammonia and its compounds, expressed as NH ₃ limiting emission factor for gaseous inorganic chlorine compounds, expressed as HCl, except phosgene, cyanogen chloride and chlorine oxides limiting emission factor for the 4 th group of the 1 st subgroup of organic gaseous vapors – emissions in general	;		Notes: 1), 17) Notes: 1), 17) Notes: 1), 17) Notes: 1), 17)	

	Te	est subject	Implemented	Certificate of Accreditation	
item	Subject / Matrix / Environment	Property / Parameter / Variable / Analyt	Principle / Class/ Type	Marking	Other specifications (range, uncertainty, notes
19	AMS-E	characteristics tested at installation (QAL2) and annual tests (AST): response time, detection limit, linearity, drift in the zero-point, drift in the span point, interference, converter efficiency, losses and leakage along the sampling line in the sample preparation system (leak test), the effect of temperature on the drift of zero value and drift of measurement span, sensitivity to atmospheric pressure, sensitivity to sample flow or sample pressure, the sensitivity to the ambient temperature, sensitivity to voltage repeatability variability, standard deviation, systematic error, overall characteristics of the	tests with certified reference materials/gases, parallel measurements with the standard reference methodology reference methodology with other measuring principle than AMS-E	STN EN 14181 TNI CEN/TR 15983 STN EN 15267-4 (SMEP-15-IPP)	Notes: 1), 18) Other introduced specific standards under which AMS / EMS are tested STN EN 15259, STN EN 14956, STN EN 14793, STN ISO 10396 STN EN 15267-3, STN ISO 7935, STN P CEN/TS 17021 STN EN 14792, STN ISO 10849, STN EN15058, STN EN 12619, STN EN15058, STN EN 12619, STN EN16058, STN EN 1211 RdSchr. d. BMU IG 12-45053/5 STN ISO 15713, STN EN 1911, STN 83 4712, STN EN 1911, STN 83 4712, STN EN 1911, STN ISO 12039, STN EN 14789, STN ISO 10155, STN EN ISO 16911-1,2, STN ISO 10155, STN EN ISO 21258, STN ISO 17179, STN ISO 14385-1,2, EPA Method 16 A EPA CTM 033, EPA Method 0040 STN EN ISO 21877, STN P CEN/TS 17340, STN P CEN/TS 17405 STN EN 17255-1, STN EN 17255-2, STN EN 17255-4, STN P CEN/TS 17337
20	AMS/EMS	characteristics tested at installation (QAL2) and annual tests (AST): response time, detection limit, linearity, drift in the zero-point, drift in the span point, interference, converter efficiency, losses and leakage along the sampling line in the sample preparation system (leak test), the effect of temperature on the drift of zero value and drift of measurement span, sensitivity to atmospheric pressure, sensitivity to sample flow or sample pressure, the sensitivity to the ambient temperature, sensitivity to voltage repeatability variability, standard deviation, systematic error, overall characteristics of the	tests with certified reference materials/gases, parallel measurements with the standard reference methodology/reference methodology with other measuring principle than AMS/EMS	STN EN 14181 TNI CEN/TR 15983 STN EN 15267-4 (SMEP-15-IPP)	Notes: 1) Other introduced specific standard under which AMS / EMS are tested. STN EN 15259, STN EN 14956, STN EN 15259, STN EN 14956, STN EN 15267-3, STN ISO 10396, STN EN 15267-3, STN ISO 7935, STN P CEN/TS 17021, STN EN 152619, STN EN 15058, STN EN 12619, STN EN14884, STN EN 1321 RdSchr. d. BMU IG 12-45053/5 STN ISO 15713, STN EN 1911, STN 83 4712, STN 83 4728, STN ISO 10155 STN EN13284-1,2, STN EN 14780, STN EN 150 12039, STN EN 14790, STN EN ISO 12039, STN EN 14790, STN EN ISO 16911-1,2, STN EN ISO 12158, STN ISO 17179, STN ISO 14385-1,2 EPA Method 16 A, EPA CTM 033 EPA Method 0040, STN EN ISO 21877 STN P CEN/TS 17340 STN EN 17255-3 STN EN 17255-3 STN EN 17255-3 STN EN 17255-3 STN EN 17255-4 STN

The Annex is an integral part of the Certificate of Accreditation

	Te	est subject	Implemented	method	Certificate of Accreatiation
item	Subject / Matrix / Environment	Property / Parameter / Variable / Analyt	Principle / Class/ Type	Marking	Other specifications (range, uncertainty, notes)
		sulphur dioxide (SO ₂)			Notes: 1), 3), 9)
	Waste gas ²)	Nitrogen oxides (NO)),),)
		nitrogen dioxide (NO ₂)			
		gas humidity in the pipeline		STN P CEN/TS 17337 (SMEP-20-IPP)	
		formaldehyde			
21		acetaldehyde	FTIR		
		fluorine and its gaseous compounds expressed as HF			
		gaseous inorganic chlorine			
		compounds as HCl ammonia and its gaseous			
		compounds as NH ₃			*
		methane (CH ₄)			
		propane (C ₃ H ₈)			

Notes and explanation of abbreviations:

- 1) Opinions and interpretations.
- 2) Discontinuous emission measurements according to STN EN 15259.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 1 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts, execution of activity at the customers.
- 4) CTZL, CPM the result of measuring mass concentration of particulate matter, or fractions of particulate matter.
- 5) STN EN 13284-1 is applied as a standard reference method even in cases where the consent, authorization or documentation of the object of eligible measurement present methodology according to STN ISO 9096, or for gas turbines, a methodology under STN ISO 11042-1 is presented.
- 6) The methodology is applied as a standard reference method even in cases where the consent, authorization or documentation of the object of eligible measurement present methodology according to STN ISO 11042-1 in case of gas turbines.
- Requirements for field measurement and check/validity of the result are applied according to the latest edition of STN EN14792.
- 8) Combustion of natural gas, diesel, liquefied hydrocarbon fuels and liquid fuels with a sulfur content of 1 % by weight and lower in combustion plants, including gas turbines and reciprocating engines with a total nominal thermal input below 50 MW.
- 9) Sampling is an integral part of measurement process.
- 10) Volumetric fraction expressed in per cents.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 5 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts
- 12) STN EN 12619 is applied as a standard reference method even in cases where the consent, authorization or documentation of the object of eligible measurement present methodology according to STN EN 13526.
- 13) STN EN 16911-1 is applied as a standard reference method even in cases where the consent, authorization or documentation of the object of eligible measurement present methodology according to STN ISO 9096.
- Alternative custom modified non-standard methodology processed from a professional source according to Section 6(4a and 6 of the Ministry of Environment Decree no. 299/2023 Coll.
- 15) STN ISO 11042-1 applies to gas turbines.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 3 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 2 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts
- Sphere of application environmental protection, subject area of eligible testing of automated measurement systems of pollutant emissions in ambient air and related reference and state values of waste gases under Annex 9, letter c) point 1 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts., execution of activity at the customers.
- 19) For gases with approximately the same density as air.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 7 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts, execution of activity at the customers.

AMS-E – automated measuring system of pollutant emissions from stationary sources of pollution in ambient air

AMS/EMS – automated measuring system/emission measurement system

NDIR - non-dispersive infra-red spectrometry/detection

FID - flame ionization detector

IU - The unit of measure according to a type of relational variable (m3, kg, t).

QAL2 - quality assurance of installation after installing AMS

AST - annual (periodic) inspection of AMS

FTIR - Fourier transform infrared



Persons legitimate of expressing opinions and interpretations

Name and surname, degree	capacity to express opinions and interpretations - accreditation scope item number.
Ing. Juraj Bél	1 to 21
Ing. Miroslav Boroš	1 to 18, 21
Ing. Attila Farkas	1 to 18, 21
Ing. Martin Chovanec	1 to 21
Ing. Ignác Kožej	1 to 21
Ing. Tomáš Kuskulič, PhD.	1 to 21
Ing. Gabriel Molnár	1 to 18, 21
Ing. Jaroslav Smolej	1 to 21
Ing. Michal Kožej	1 to 18, 21

Sampling

1		Object		Me		
Item	Subject	Property	Sampling site	Type/ Principle	Marking	Other specifications
1		particulate matter (PM)	Pipeline/ stationary source of pollution	gravimetric method - isokinetic sampling collection onto a filter	STN EN 13284-1 (SMEP-08-IPP)	Notes: 1), 3), 4), 5)
2		fraction of particulate matter PM ₂₅ and PM ₁₀	Pipeline/ stationary source of pollution	gravimetric sampling at a constant flow, impaction method collection onto a filter	STN EN ISO 23210 (SMEP-08-IPP)	Notes: 1), 4)
3		darkness of smoke Bacharach degree	Pipeline/ stationary source of pollution	collection onto a filter	STN ISO 11042-1 čl. 7.8 ⁷) (SMEP -16-IPP)	Notes: 1), 3)
4		humidity of the gas in the pipeline	Pipeline/ stationary source of pollution	gravimetry (adsorption / condensation-adsorption)	STN EN 14790 (SMEP-04-IPP)	Notes: 1), 3), 4)
5		fluorides expressed as F ⁻ in solid state	Pipeline/ stationary source of pollution	collection onto a filter	Met. EPA 13A,B, STN EN 13284-1 STN P CEN/TS 17340 (SMEP-07-IPP SMEP-08-IPP)	Notes: 1), 3), 4), 5), 6)
6		cyanides expressed as CN ⁻ in the solid state	Pipeline/ stationary source of pollution	collection onto a filter	EPA CTM 033 STN EN 13284-1 (SMEP-07-IPP SMEP-08-IPP)	Notes: 1), 3), 4), 5), 6)
7	Waste gas ²)	chlorides expressed as Cl in the solid state	Pipeline/ stationary source of pollution	collection onto a filter	STN EN 13284-1 (SMEP-07-IPP SMEP-08-IPP)	Notes: 1), 6)
	waste gas)	metals, semimetals and their compounds:				
	پ.	selenium and compounds expressed as Se tellurium and compounds expressed as Te beryllium and compounds expressed as Be tin and compounds expressed as Sn zinc and compounds expressed as Zn		sampling onto the filter	EPA Met.29 EPA Method: Candidate conditional Method ZZ EPA Method X (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)
8		cobalt and compounds expressed as Co nickel and compounds expressed as Ni thallium compounds expressed as TI cadmium and compounds expressed as Cd arsenic and compounds expressed as As antimony and compounds expressed as Sb chromium and compounds	stationary source of pollution	and parallel sampling in the sorption solutions	EPA Met.29 STN EN 14385 EPA Method: Candidate conditional Method ZZ EPA Method X (SMEP-07-IPP)	SNAS SNAS

The Annex is an integral part of the Certificate of Accreditation

_		Object		Me	thod		
Item	Subject	Property	Sampling site	Type/ Principle	Marking	Other specifications	
		expressed as Cr (except CrVI)					
		manganese and compounds expressed as Mn	-	sampling onto the filter and parallel sampling in	EPA Met.29		
		copper and compounds expressed as Cu			STN EN 14385 EPA Method: Candidate conditional Method ZZ	Notes:	
		lead and compounds expressed as Pb		the sorption solutions	EPA Method X	1), 3), 4), 5), 6)	
		vanadium and compounds expressed as V			(SMEP-07-IPP)	ā =	
		expressed as v		sampling on the solid sorbent,	STN P CEN/TS 17286 (SMEP-07-IPP)		
8		mercury and compounds expressed as Hg	Pipeline/ stationary source of pollution	sampling onto the filter and parallel sampling in the sorption solutions	STN EN 13211 EPA Met.29 EPA Method: Candidate conditional Method ZZ EPA Method X (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		Cr ^{VI} compounds expressed as Cr (except barium chromate and lead chromate)		sampling onto the filter and parallel sampling in the sorption solutions	EPA Met.0061 EPA Method: Candidate conditional Method ZZ EPA Method X (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
	Waste gas ²)	other metals, semimetals and their compounds: Ag, Al, B, Bi, Ca, Fe, K, Li, Mg, Mo, Na, P, S, Si, Sr, Ti		sampling onto the filter, sampling in the sorption solution	STN EN 13211 EPA Met.29 STN EN 14385 EPA Method: Candidate conditional Method ZZ EPA Method X (SMEP-07-IPP)	Notes: 1), 6)	
		gaseous inorganic substances:	Pipeline/ stationary source of pollution		(61.221 0 / 21 /		
		fluorine and its gaseous compounds expressed as HF			STN P CEN/ TS 17340 STN ISO 15713 STN 83 4752 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		sulfide			STN 83 4712 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		ammonia and its gaseous compounds as NH ₃			STN 83 4728 STN EN ISO 21877 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		gaseous inorganic chlorine compounds as HCl			STN EN 1911 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
9		chlorine and chlorine oxides expressed as Cl			STN 83 4751 OSHA ID 202 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		sulfur oxides (SOx) - sulfur dioxide, sulfur trioxide and aerosol H ₂ SO ₄ expressed as sulfur dioxide (SO ₂)			STN 83 4711 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		sulfur dioxide SO ₂ including the proportion of SO ₃ expressed as sulfur dioxide (SO ₂)			STN EN 14791 (SMEP-07-IPP)	Notes: 1), 3), 4), 5), 6)	
		hydrogen cyanide HCN			EPA CTM 033 (SMEP-07-IPP)	Notes: 1, 3, 4, 5, 6)	
		organic gases and vapors:					
		formaldehyde			STN P CEN/TS 17638	Notes:	
		furfural benzaldehyde]	sampling into the sorption solutions	EPA 0011	¹), ³), ⁴), ⁵), ⁶) ¹⁰)	
		butylaldehyde	Pipeline/	r	(SMEP-07-IPP)		
10	Waste gas ²)	glutaraldehyde toluene	stationary source			Notes: NA AKREO	
	,	ethylbenzene tetrachloroethene	of pollution	sampling on the solid	STN P CEN/TS 13649	Notes: 2 17 17 17 17 17 17 17 17 17 17 17 17 17	
		styrene	, a	sorbent, sampling bag	EPA Met.0040 STN EN 13725	(52), 3), 4), 5), 6)	
		acetone isopropylbenzene	-	camping oug	(SMEP-07-IPP)		
		dichloromethane	-			No Collection	

_		Object		M	ethod	
Item	Subject	Property	Sampling site	Type/ Principle	Marking	Other specification
		1,4-dichlorobenzene				
		benzene				
		trichlorethylene				
		tetrachloroethane				
		tetrachlorethylene				
		nitrobenzene				
	×	trichloromethane				
		nitrotoluene				
		3-ethyltoluene	_			
		chloromethane	_			
		carbon tetrachloride trimethylbenzene	-			
		chlorobenzene	-			
		xylene	-			
		2-butanone	_			
		1,2-dibromoethane	-			
		ethylene chlorohydrine				
		epichlorohydrin				
		ethylene oxide				
		propylene oxide				
		alkenes (olefins)				-
		alkanes (paraffins)				
		except methane				
		vinyl chloride				
		propylene		sampling on the solid	STN P CEN/TS 13649	Notes:
		chlorohydrin	_	sorbent,	EPA Met.0040	¹), ²), ³), ⁴), ⁵), ⁶)
	-	acrylonitrile	_	sampling bag	STN EN 13725	
		1,3-butadiene	_		(SMEP-07-IPP)	
		carbon disulphide	_			
		1,2 dichloroethane 1,1 dichloroethylene	-			
		chloroethane	-			-
		1,1 dichloroethane				2
		1,2-dichloroethylene	-			
		4-hydroxy-4-methyl-2-	Pipeline/ stationary			
0	Waste gas ²)	pentanone	source			
		4-methyl-2-pentanone	of pollution			
		2-chloropropane				
		methyl methacrylate				
		ethyl acrylate				-
		methyl acrylate				
		methyl acetate				
		vinyl acetate	_ ′	_		
		butyl acetate	\dashv			
		ethyl acetate dibutyl ether	\dashv			
		diethyl ether	\dashv			
		diphenyl ether	\dashv			
		diisopropyl ether	1			
		pyridine	7			
		cyclohexanone				
		Methane (CH ₄)		sampling bag	EPA Met.0040 (SMEP-07-IPP)	Notes: 4 1), 2), 9)
	À.	cresol	\exists		(SIMEL -07-ILL)	<i>J</i> , <i>J</i> , <i>J</i>
		phenol	_			
		nitrocresols	4			
		nitrophenols	4			
		ethanolamine	4	sampling on the solid	STN P CEN/TS 13649	Notes:
		alkyl alcohols	\dashv	sorbent	(SMEP-07-IPP)	¹), ³), ⁴), ⁵), ⁶)
		cyclic alcohols	\dashv			ODNÁ AKO
		toluidine	\dashv			AROUNTED,
		dimethylamine diethylamine	\dashv			1 7 T
		aniline	\dashv			38
		mercaptans, organic	\dashv			I Z
		compounds containing		1	EDA	Notes: 1), 3), 4), 5), 6) Notes: 1), 3), 4), 5), 6) Notes: 1), 3), 4), 5), 6)
		reduced sulfur		sampling into the	EPA met.16A	Notes:
				sorption solutions	(SMEP-07-IPP)	7, 9, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,

The Annex is an integral part of the Certificate of Accreditation

		Object		Me		
Item	Subject	Property	Sampling site	Type/ Principle	Marking	Other specifications
10		formic acid	Pipeline/ stationary	sampling in the solution,	VDI 2457 B1.4 STN P CEN/TS 13649	Notes:
10		acetic acid	of pollution	sampling on the solid sorbent	(SMEP-07-IPP)	1), 3), 4), 5), 6)
		polyaromatic hydrocarbons (PAHs):				
		benzo(a)pyrene	Pipeline/	isokinetic sampling on the filter and	STN ISO 11338	
11	1	dibenz[a,h]anthracene	stationary source of pollution	sampling in the gas state on a	STN EN 13284-1 (SMEP-07-IPP)	Notes: (1), 3), 4), 5), 6)
	Waste gas ²)	naphthalene	ponution	solid sorbent		
		2-naphthylamine				
12		polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs)	Pipeline/ stationary source of pollution	isokinetic sampling on the filter and sampling in the gas state on a solid sorbent	STN EN 1948-1,4 (SMEP-17-IPP)	Notes: 1), 3), 4), 5), 6)
		polychlorinated biphenyls (PCBs) organic substances,				
		expressed as total carbon (TOC) - content in the residual cinders and lower ash from the incineration of waste (fuel)			STN EN 13137 (SMEP-03-IPP)	Notes: 1), 8), 9)
13	Solid and bulk materials	combustible share in the residual cinders and lower ashes expressed as loss on ignition of the combustion of waste (fuel)	The waste incineration plant	manual sampling	STN EN 15935 (SMEP-03-IPP)	Notes: 1), 8), 9)
		metals in unburned particles, sieve analysis, physico- chemical properties of the fuel (unburned particles), melting temperature of ash (potassium content)	Heaps and equipment		STN 01 5111 STN 01 5110	Notes: 1), 9)
14	Solid and liquid materials from the production of polyvinyl- chloride	vinyl chloride (residual content in the product, homopolymers, copolymers, micro polymers, polymer emulsions)	Production of polyvinyl chloride	manual sampling	SMEP-03-IPP	Notes: 1), 8), 9)
15	Liquid materials	Physical and chemical characteristics	Tanks, transport pipelines	Point and decanted samples	STN 65 0512 (SMEP-03-IPP)	Notes: 1), 9)

Notes and explanation of abbreviations:

- 1) NÎ opinions and interpretations.
- 2) Discontinuous emission measurements according to STN EN 15259.
- Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 1 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts, execution of activity at the customers.
- 4) Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 3 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts
- 5) Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 5 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts
- 6) Calculation of the mass concentration of the analyte in the waste gas or raw gas based on the amount of analyte in the sample determined by a testing accredited laboratory: EKOLAB s. r. o., Košice, Company ID number 31 684 165.
- 7) STN ISO 11042-1 applies to gas turbines.
- 8) Sphere of application environmental protection, subject area of eligible measurement under Annex 9, letter a) point 7 of the Act. No. 146/2023 Coll. on air, and amending and supplementing certain acts, execution of activity at the customers.
- analytical determination is carried out by accredited laboratory EKOLAB, s. r. o., Košice, Company ID number 31 684 165.
- 10) The STN P CEN/TS 17638 applies only to formaldehyde sampling

The Annex is an integral part of the Certificate of Accreditation

Persons legitimate of expressing opinions and interpretations (sampling)

Name and surname, degree	capacity to express opinions and interpretations - accreditation scope item number.
Ing. Juraj Bél	1 to 13, 15
Ing. Miroslav Boroš	1 to 13, 15
Ing. Attila Farkas	1 to 7
Ing. Martin Chovanec	1 to 15
Ing. Ignác Kožej	1 to 15
Ing. Tomáš Kuskulič, PhD.	1 to 15
Ing. Gabriel Molnár	1 to 15
Ing. Jaroslav Smolej	1 to 15
Ing. Michal Kožej	1 to 15

